

Di-Fly SA

SPRAY-ON BLOWFLY TREATMENT FOR SHEEP

Abbey Animal Health Pty Ltd SAFETY DATA SHEET

Section 1- Identification of Product and Supplier

Supplier Company Details: Abbey Animal Health Pty Ltd **Address:** 16 Voyager Circuit, Glendenning NSW 2761

Telephone Number: 02 8088 0720 **Facsimile Number:** 02 8088 0721

Emergency Number: Australian Poisons Information Centre: 13 11 26 (24 Hour Service).

PRODUCT NAME

Di-Fly SPRAY-ON BLOWFLY TREATMENT FOR SHEEP

PRODUCT USE

For the protection of sheep against fly strike caused by dicyclanil-suceptible strains of blowflies (Lucilia cuprina) for up to 11 weeks. For the protection of marking wounds on sheep against fly strike caused by dicyclanil-suceptible strains of blowflies (Lucilia cuprina).

Section 2- Hazards Identification

Statement of Hazardous Nature

This product is classified as: Classified as hazardous according to the criteria of SWA.

ADG Classification: None allocated. Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA or IMDG/IMSBC criteria.

GHS Signal word: None.

GHS Classification:

Category 2-Hazardous to the Aquatic Environment, long-term hazard.

Pictogram:



First Effective Date: 25th July 2022 Page 1 of 7

HAZARD STATEMENT:

H412: Harmful to aquatic life with long-lasting effects.

PREVENTION

P273: Avoid release to the environment.

RESPONSE

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P391: Collect spillage.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

Section 3- Composition / Information on Ingredients

INGREDIENTS:

Chemical Name CAS No. Conc., %

Dicyclanil 112636-83-6 1.25%
Other non-hazardous ingredients Secret to 100

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible.

Section 4- First Aid Measures

Call Poisons Information Centre Phone Australia 131 126, if you feel that you may have been poisoned or irritated by this product.

Swallowed: Rinse mouth.do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Skin: Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye: Rinse with water. Get medical attention if irritation develops and persists.

Inhaled: Move to fresh air. Call a physician if symptoms develop or persist.

Section 5- Fire Fighting Measures

Extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

First Effective Date: 25th July 2022 Page 2 of 7

Specific hazards arising from the chemical: During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire fighters: Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighting equipment/instructions: Move containers from fire area if you can do so without risk. Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental Release Measures

Accidental release: Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Keep unnecessary personnel away.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Methods and materials for containment and cleaning up: Prevent product from entering drains.

Section 7 - Handling and Storage

Handling: Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Storage: KEEP OUT OF REACH OF CHILDREN.

Store below 30°C (Room Temperature). Protect from frost. Store in original container tightly closed in a dry, cool place. DO NOT store in direct sunlight.

Section 8 - Exposure Controls / Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

First Effective Date: 25th July 2022 Page 3 of 7

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

The ADI for Dicyclanil is set at 0.007mg/kg/day. The corresponding NOEL is set at 0.7mg/kg/day. ADI means Acceptable Daily Intake; NOEL means No-observable-effect-level. Data from Australian ADI List, March 2016.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Eye Protection: Wear safety glasses with side shields (or goggles). (AS/NZS 1337).

Skin Protection: Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. (AS/NZS 2161)

Respirator: In case of insufficient ventilation, wear suitable respiratory equipment. (AS/NZS 1715).

Section 9 - Physical and Chemical Properties

Description & colour: Green liquid suspension.

Odour: No data.

Boiling Point: Not available. Freezing/Melting Point: No specific data.

Volatiles:No data.Vapour Pressure:No data.Vapour Density:No data.

Specific Gravity: 1.00-1.03 g/cm3

pH: No data.Volatility: No data.Odour Threshold: No data.

Section 10 - Stability and Reactivity

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability: Material is stable under normal conditions. **Conditions to Avoid:** Contact with incompatible materials.

Incompatibilities: strong oxidising agents.

Fire Decomposition: No hazardous decomposition products are known.

First Effective Date: 25th July 2022 Page 4 of 7

Section 11 - Toxicological Information

Dicyclanil:

Acute:

ComponentsSpeciesTest ResultsLD50 (Oral),Rat520mg/kgLD50 (Dermal),Rat>2000mg/kg

LD50 (Inhalation), Rat 3184 mg/m³, 4 hours

LOCAL EFFECTS:

Skin corrosion/irritation: Rabbit: No irritation. (Dicyclanil) Based on available data, the classification.

Serious eye damage/irritation: Rabbit: No irritation (Dicyclanil).

Respiratory sensitisation Due to lack of data the classification is not possible.

Skin sensitisation: Guinea pig: Not a skin sensitiser. (Dicyclanil) Based on available data, the classification criteria.

Germ cell mutagenicity: Results in genetic toxicity assays (in vitro): Negative In vivo micronucleus test: Negative (Dicyclanil). Based on available data, the classification criteria are not met.

Carcinogenicity: No evidence for carcinogenicity in long term studies with rats and male mice. Liver tumors reported in female mice at high doses. (Dicyclanil) Based on available data, the classification criteria are not met.

Reproductive toxicity: Delayed fetal development reported along with maternal toxicity. (Dicyclanil) Based on available data, the classification criteria are not met.

Section 12 - Ecological Information

Ecotoxicity: Toxic to aquatic life with long lasting effects.

| Components DICYCLANIL | Species | | Test Results |
|--------------------------|---------|---|--|
| | LC50 | Earthworm (Eisenia foetida) Mallard Duck (Anas platyrhynchos) Trout | > 1000mg/kg, 14 days> 5000ppm, 5 days60 mg/l, 96 hours |
| | LD50 | Mallard Duck (Anas platyrhynchos) | 500 -1620 mg/kg |
| Aquatic | NOEC | Midge (Chironomus riparius) | 0.0025 mg/l, 28 days (water-spiked) |
| | EC50 | Sewage sludge | > 100 mg/l, 3 hours |

First Effective Date: 25th July 2022 Page 5 of 7

| Algae | EbC50 | Green Algae (Scenedesmus subspicatus) 24mg/l, 72 hours | | |
|-----------|-------|--|---------------------|--|
| | NOEC | Green Algae (Scenedesmus subspicatus) 9.6 mg/l, 7 | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 1.1 mg/l, 48 hours | |
| | NOEC | Water flea (Daphnia magna) | 0.027mg/l,21 days | |
| | | | 0.006 mg/l, 21 days | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | > 68 mg/l, 96 hours | |

Bioaccumulative potential (DICYCLANIL)

Partition coefficient

n-octanol / water (log Kow) 0.51 (pH 5) (25°C)

0.68 (pH 5) (25°C) 0.69 (pH 5) (25°C)

ENVIRONMENTAL PROTECTION

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section 13 - Disposal Considerations

Disposal Information: Dispose of any clean-up materials according to local regulations.

Disposal: Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

Section 14 - Transport Information

Dangerous Goods Class and Subsidiary Risk: None allocated.

This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

Poisons Schedule: S0

APVMA Approval Number: 90740

First Effective Date: 25th July 2022 Page 6 of 7

Approved Pack Sizes: 1L, 5L, 20L and 22L.

For more information please refer to the APVMA approved product label

Section 16 - Other Information

Abbey Animal Health Pty Ltd

Telephone Number: 02 8088 0720 Facsimile Number: 02 8088 0721

Emergency Number: Australian Poisons Information Centre: 13 11 26 (24 Hour service).

This Safety Data Sheet (SDS) summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

Each user must review this SDS in the context of how the product will be handled and used in the workplace.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

*Note: This SDS is valid for 5 years from the effective date.

First Effective Date: 25th July 2022 Page 7 of 7