

VIRKILL™ EXTREME FARM CLEANER

ACTIVE CONSTITUENT: <15 % SODIUM HYDROXIDE

Foaming alkaline cleaner and descaler

For the removal of organic soil, especially fats and grease. Ideal for the removal of faecal material and soil in swine and poultry premises, hatcheries, and other animal confinement facilities. Removes dirt, grime, protein, and oils, as well as minerals and adherent films.

- Phosphate free and chlorine free formulation
- Easy application and rinsing
- Formulated using biodegradable detergents
- Superior degreasing capabilities



TASK	VIRKIL™ EFC
FOR PRESSURE WASHING APPLICATIONS	
For use as a general-purpose cleaner for walls, floors, feed pails, waterers and equipment	Light to Medium Soiling: 0.25% - 0.75% solution Heavy Soiling: 1.5% - 2.5% solution
For use on food-processing equipment, utensils and other food contact surfaces	
For use in barns and other farm premises	0.25% - 0.75% solution
FOR FOAMING APPLICATIONS	0.75% - 2.5% solution

VIRKILL™ is a trademark of Abbey Laboratories Pty Ltd

ABBEY ANIMAL HEALTH PTY LTD Unit 27/1 Maitland Place, Norwest NSW 2153 InfoLine (02) 8088 0720 abbeylabs.com.au

VIRKILL™ EXTREME FARM CLEANER

ACTIVE CONSTITUENT: <15 % SODIUM HYDROXIDE

For the removal of organic soil, especially fats and grease. Ideal for the removal of faecal material and soil in swine and poultry premises, hatcheries, and other animal confinement facilities. Removes dirt, grime, protein, and oils, as well as minerals and adherent films.

RECOMMENDED AREAS OF USE

For poultry hatcheries: Can be applied to walls, floors, and ceilings of rooms, setters, and hatchers. For use in the manual cleaning of trays, racks, plastic flats, and boxes.

For farm premises: As a general cleaner and deodorizer in poultry houses, swine and livestock barns, and as a wetting agent to wash down poultry houses, and swine and livestock barns.

For food-processing plants: Use on floors, walls, shelves, utensils, and in walk-in coolers.

It cleans and brightens stainless steel, glass, plastic, concrete, and tile in poultry and meat-processing and canning plants.

DIRECTIONS FOR USE

FOR PRESSURE WASHING APPLICATIONS

For use as a general-purpose cleaner for walls, floors, feed pails, waterers, and equipment:

Use VIRKILL™ EXTREME FARM CLEANER as a 0.25% to 0.75% solution (2 to 8mL/L) in tepid to hot water (42° to 70°C) for light to medium soiling, or as a 1.5% to 2.5% solution (16 to 24mL/L) for heavy soiling. Spray the solution on all surfaces. Using warmer water will improve the effectiveness of the product in high-grease situations.

If possible, allow VIRKILL™ EXTREME FARM CLEANER to remain on surfaces for 10 minutes before completely rinsing with clean water at high-pressure. Consult Abbey Animal Health Pty Ltd for recommendations.

Note: Consider using a pressure washer gun for effective cleaning. Always refer to the instrument's label or user manual to ensure proper usage and cleaning procedures.

For use on food-processing equipment, utensils, and other food contact surfaces: Clean as above. Thoroughly rinse cleaned surfaces with potable water before reuse. Where recommended or permitted, apply a sanitizer solution to food contact surfaces before reuse.

For use in barns and other farm premises: Use VIRKILL™ EXTREME FARM CLEANER at an application rate of 2 to 8mL/L in water for cleaning. Apply to surfaces and, if possible, let stand for 10 minutes before thoroughly rinsing all surfaces with clean water at high-pressure. After thorough cleaning, let surfaces dry as much as possible, then followup with an appropriate disinfecting solution.

FOR FOAMING APPLICATIONS

Use VIRKILL™ EXTREME FARM CLEANER to prepare a stock solution of 8 to 24mL/L of water or calibrate your dosing equipment to achieve this dilution. Using a foaming wand, apply solution onto all surfaces and, if possible, let the foam stand for 10 minutes before thoroughly rinsing all surfaces with clean water at high-pressure. After thorough cleaning, let surfaces dry as much as possible, then followup with an appropriate disinfecting solution.

STORAGE

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight.

DISPOSAL

Triple-rinse containers before disposal. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility.

If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

Causes severe skin burns and eye damage.

Suspected of causing cancer.

May be corrosive to metals.

Wash thoroughly after handling.

Wear protective gloves/ protective clothing/eye protection/ face protection.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fumes/gas/ mist/vapours/spray.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing eyes.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

VIRKILL™ is a trademark of Abbey Laboratories Pty Ltd

ABBEY ANIMAL HEALTH PTY LTD Unit 27/1 Maitland Place, Norwest NSW 2153 InfoLine (02) 8088 0720 abbeylabs.com.au