



Abbey™ TMPS 240mg/mL Injection

ACTIVE CONSTITUENT: 200mg/mL SULFADOXINE, 40mg/mL TRIMETHOPRIM

Dual Action, Trusted Treatment.

For the treatment of a wide range of diseases including respiratory, alimentary, urogenital and general infections caused by bacteria sensitive to sulfadoxine/trimethoprim therapy in cattle, sheep, goats, pigs, dogs and horses.

-  **Dual-Action Formula** – Combines sulfadoxine and trimethoprim for enhanced antibacterial efficacy.
-  **Suitable for Multiple Species** – Approved for cattle, sheep, goats, pigs, dogs, and horses.
-  **Trusted Veterinary Treatment** – A reliable option for infection control in livestock and companion animals.



	Abbey™ TMPS 240mg/mL Injection	AVET™ Trimethoprim Sulfadoxine 240 mg/mL Injection
Active Constituent	200mg/mL SULFADOXINE 40mg/mL TRIMETHOPRIM	200mg/mL SULFADOXINE 40mg/mL TRIMETHOPRIM
Species	Cattle, sheep, goats, pigs, dogs and horses.	Cattle, sheep, goats, pigs, dogs and horses.
Route of Administration	Cattle, Sheep, Goats: IM, SC or IV Pigs: IM, IV in the case of acute infection Horses, Dogs: Slow IV	Cattle, Sheep, Goats: IM, SC or IV Pigs: IM, IV in the case of acute infection Horses, Dogs: Slow IV
Dose rate	3mL per 50 kg bodyweight	3mL per 50 kg bodyweight
Withholding Periods		
MEAT: Cattle, sheep, goats and pig	14 days MEAT: Horses 28 days	14 days MEAT: Horses 28 days
MILK: Cattle	72 hours (6 milkings)	72 hours (6 milkings)

Abbey™ is a trademark of Abbey Laboratories Pty Ltd.

AVET™ is a trademark of AVET Health Pty Ltd.

Abbey™ TMPS 240mg/mL Injection

ACTIVE CONSTITUENT: 200mg/mL SULFADOXINE, 40mg/mL TRIMETHOPRIM



For the treatment of a wide range of diseases including respiratory, alimentary, urogenital and general infections caused by bacteria sensitive to sulfadoxine/trimethoprim therapy in cattle, sheep, goats, pigs, dogs and horses.

INDICATIONS

For use by or under direction of a veterinarian. Abbey™ TMPS 240mg/mL Injection contains Trimethoprim (dihydrofolate reductase inhibitor) and Sulfadoxine (a member of sulfonamide group of chemicals) which is active against gram positive and gram negative bacteria, for example *Streptococcus* spp, *Staphylococcus* spp, *Salmonella* spp, *Pasteurella* spp, *Pneumococcus* spp, *E.coli*, *Brucella* spp, *Proteus* spp, *Corynebacterium* spp, *Klebsiella* spp and *Campylobacter* spp. Indiscriminate use of Abbey™ TMPS 240mg/mL Injection

DIRECTIONS FOR USE

Restraints

DO NOT USE in female sheep or goats which are producing or may in the future produce milk or milk products for human consumption.

Contraindications

Not recommended for cats and kittens.

Precautions

Use with caution to avoid possible shock, intravenous injection should be administered as slowly as reasonably practicable.

DOSAGE AND ADMINISTRATION

Use the contents of the vial within 28 days of initial broaching and discard any unused portion.

DOSAGE

3mL per 50kg bodyweight in all species, which is equivalent to 15mg active ingredients per kg bodyweight. A single injection may be sufficient but in more severe infections the dose should be repeated at 24-hour intervals until the clinical signs have resolved.

ADMINISTRATION

Cattle, Sheep, Goats: By intramuscular, subcutaneous or intravenous injection.

Pigs: By intramuscular injection only. In cases of acute infection, the product can be administered intravenously.

Horses, Dogs: By slow intravenous injection only.

WITHHOLDING PERIODS

MEAT: DO NOT USE less than 14 days (cattle, sheep, goats and pigs), 28 days (horses) before slaughter for human consumption.

MILK (Cattle): Milk collected from cows within 72 hours (6 milkings) following treatment **MUST NOT BE USED** for human consumption or processing or fed to bobby calves.

Any variation by the prescribing veterinarian to the approved use pattern, may require an extended withholding period.

TRADE ADVICE

EXPORT SLAUGHTER INTERVAL (ESI): This product does not have as ESI established.

Note - observing the meat withholding period may not be sufficient to mitigate potential risks to export trade. Trade advice should be sought from Abbey Animal Health Pty Ltd on 02 8088 0720 before using this product.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126.

ENVIRONMENTAL PROTECTION

Do not contaminate dams, rivers, streams or other waterways with the chemical or used containers.

DISPOSAL

Dispose of container by wrapping with paper and putting in garbage.

STORAGE

Store below 25 °C (air conditioning). Protect from light.

APVMA Approval Number: 93224/147500